



NUMAX

Commercial Vehicles - Heavy Goods Vehicles Only

Make & Model	UK Ref	Alternative Part No.
A W D		
Bedford (also see Bedford LCV)		
*OE SPECIFICATION MAYBE ONE OR TWO BATTERIES		
TJ 220	644	-
TJ 330	644	-
TJ 381	644x2	664x2
TJ 466	644x2	664x2
TJ 500	644x2	664x2
TJ 570	643x3	663x2
TJ 1000	643x2	663x2
TK 220	644x2	664x2
TK 381	644x2	664x2
TK 466	644x2	664x2
TK 500	644x2	664x2
TK 750	644x2	664x2
TK 860	644x2	664x2
TK 1000	647	655
TK 1020	644x2	664x2
TK 1260 (5.4L)	647	655
TK 1260 (8.2L)	644x2	664x2
TK 1470	644x2	664x2
TK 1500	644x2	664x2
TK 1600	644x2	664x2
TK 1630	644x2	664x2
TL 500	644x2	664x2
TL 570	644x2	664x2
TL 718	644x2	664x2
TL 750	644x2	664x2
TL 750 Turbo	647	655
TL 760 Turbo*	647	655
	647x2	655x2
TL 814	647	655
TL 860	647	655
TL 1000	647	655
TL 1020	644x2	664x2
TL 1260	644x2	664x2
TL 1470	644x2	664x2
TL 1500	644x2	664x2
TL 1600	644x2	664x2
TL 1630 (5.4L)	647	655
TL 1630 (8.2L)	644x2	664x2
TL 1930	647	655
TL 2400	647	655x2
TL 2440	647x2	655x2
TL 2800	647x2	655x2
TL 3200	647x2	655x2
TM 6V71	647x2	655x2
TM 6V81	647x2	655x2
TM 8V71	647x2	655x2
TM 500	644x2	664x2
TM 500 HD	647x2	655x2
TM 1700	647x2	655x2
TM 2600	647x2	655x2
TM 2800	647x2	655x2

Make & Model	UK Ref	Alternative Part No.
Bedford CONTINUED		
TM 3200	647x2	655x2
TM 3250	647x2	655x2
TM 3650	647x2	655x2
TM 3800	647x2	655x2
TM 4200	647x2	655x2
TM 4400	647x2	655x2
YNT	531x4	-
YNV	643x2	663x2
M TYPE 12 VOLT	531x2	-
M TYPE 24 VOLT	531x4	-
Berliet see Renault		
Commer-Karrier-Dodge		
K2413T	644x2	664x2
"LDA, LDU7"	647	655
LDV3	643	663
50 Series	647	655
100 Series	647	655
300 Series	621x2	629x2
DAF also see Leyland DAF or LDV		
400	071	069
500	625	-
600	643x2	663x2
700	625	-
800	643x2	663x2
900	637x2	-
1000	643x2	663x2
1100	637x2	-
"1200, 1300, 1305, 1400*"	621x2	629x2
1500*	621x2	629x2
1600	637x2	-
1605*	621x2	629x2
1700	637x2	-
"1800, 1900, 1902* "	621x2	629x2
"2000, 2005, 2100*"	621x2	629x2
"2103, 2105*"	621x2	629x2
"2200, 2205*"	621x2	629x2
"2300, 2305*"	621x2	629x2
2307	621x2	629x2
2400*	621x2	629x2
2500	637x2	-
"2503, 2505 "	621x2	629x2
"2507, 2525"	621x2	629x2
2535	621x2	629x2
"2600, 2605*, 2700"	621x2	629x2
2800	629x2	-
"2805, 2826, 3000"	625x2	-
"3300, 3303"	625x2	-
3305	625x2	-
"3325, 3326"	625x2	-
DH2100	637x2	-
FT2100, FT2500	621x2	629x2
2800ATi	637x2	-

* OE Fitment differs depending on Application

Due to the variety of electrical consumers and chassis configurations on today's commercial vehicles, we recommend checking the battery coming off the vehicle, to ensure that the replacement meets the vehicles electrical demands

Commercial Vehicles - Heavy Goods Vehicles Only

Make & Model	UK Ref	Alternative Part No.	Make & Model	UK Ref	Alternative Part No.
DAF CONTINUED			Hino CONTINUED		
2800Ati	627x2	-	KM	644x2	664x2
3200, 3600	621x2	629x2	KR	069x2	072x2
3600Ati	625x2	-	KY	622x2	621x2
DK, DL	621x2	629x2	"LA, LB"	069x2	072x2
DF, DH, DT, DTD, DU, DSD	643x2	-	SH	623x2	-
DKA, DKD, DO, DP	621x2	-			
FA800, 900, 1100, 1300	629x2	-	Iveco		
FA1700DNS, DNT, FA, DNTD	629x2	-	New Cargo	*OE FITMENT DIFFERS	DEPENDING ON APPLICATION 60E12*
FA1900, 2500	629x2	-		096x2 -	
FG3605Ati	621x2	629x2			017x2
MB Series 625x2	-		60E14	096x2	-
SB Series	625x2	-		017x2	-
VH400BN 096x2	-		65E12	017	-
			65E12K	027x2	096x2
Dennis			75E12*	096x2	-
16-18	647x2	655x2		017x2	-
Dart	643x2	663x2	75E12K	027x2	096x2
Delta Range	663x2	-	75E14*	096x2	-
Dominant	647x2	655x2		017x2	-
Maxim	647x2	655x2	75E14K	027x2	096x2
Mercury	647	655	75E15	637x2	-
Pax	655x2	-	75E15K*	096x2	-
Paxit	647x2	655x2		017x2	-
Pax V	647	655	80E15	637x2	-
			80E15K*	096x2	-
E.R.F.				017x2	-
C Series	648x2	656x2	80E18	637x2	-
CP Series	656	-	80E18K*	096x2	-
E Series	629x2	-		017x2	-
EC Series	629x2	-	100E15	637x2	-
M16 Range	069x2	072x2	100E15K*	096x2	-
"NGC 380, 420"	624	-		017x2	-
"Trailblazer 32G46, 36RZ"	656	-	100E18	637x2	-
			100E18K*	096x2	-
Foden				017x2	-
Fleetmaster	648x2	656x22	110E15	637x2	-
Haulmaster	644x2	664x2	110E15K*	096x2	-
S83	644x2	664x2		017x2	-
"S104, 106, 108"	644x2	664x2	110E18	637x2	-
Tiltcab (Cummins Engine)	541x4	-	120E15	637x2	-
Tiltcab (Gardner Engine)		664x2	120E15K*	096x2	-
-				017x2	-
Tiltcab (Rolls Royce Engine)	656x2	-	120E18	637x2	-
2000 Series	656x2	-	130E15	637x2	-
3000 Series	656x2	-	140E18	637x2	-
			150E18	637x2	-
Hino			180E21	637x2	-
"FD, FF"	069x2	072x2	180E34	027x2	-
FH	623x2	-	210E23	637x2	-
"FS, FY"	622x2	621x2	250E23	637x2	-
FYIK	623x2	-			
GD	069x2	072x2	New Cargo Tractor Units:		
HE	622x2	621x2	320E27T	637x2	-
KB	622x2	621x2	Super Cargo:		
KL	069x2	072x2	ML170E18K	637x2	-
			ML170E18S	637x2	-

* OE Fitment differs depending on Application

Due to the variety of electrical consumers and chassis configurations on today's commercial vehicles, we recommend checking the battery coming off the vehicle, to ensure that the replacement meets the vehicles electrical demands



Commercial Vehicles - Heavy Goods Vehicles Only

Make & Model	UK Ref	Alternative Part No.
Iveco CONTINUED		
ML170E23S	637x2	-
ML260E27KE	637x2	-
New Turbo Daily:		
35.8	017	-
35.10	017	-
40.8 Bus	637	-
40.10 4x4	637	-
40.12	637	-
40.12 Ambulance	630	-
45.10	017	-
45.12	017	-
49.10	017	-
49.12	017	-
54.12 Bus	637	-
59.12	017	-
Euroteck:		
TP400E30	625x2	-
MT400E34T/P	621x2	629x2
MT400E38T/P	621x2	629x2
MT400E42T/P	621x2	629x2
MP400E34TX/P	621x2	629x2
MP400E38TX/P	621x2	629x2
Eurotrakker:		
MP340E34H	621x2	629x2
Light Weight:		
55FF10	071x2	072x2
60F10	071x2	072x2
75F10	071x2	072x2
79F10	071x2	072x2
60.10 2ND Series	071x2	072x2
65.12	096x2	-
79.10 2ND Series	071x2	072x2
79.12	096x2	-
60.10 3RD Series	071x2	072
79.10 3RD Series	096x2	-
79.14	096x2	-
Medium Weight:		
*CHECK LAYOUT AND WHETHER BASE HOLD DOWNS REQUIRED		
135.14	096x2	-
135.17	096x2	-
159.17*	623x2	-
	621x2	629x2
165.24*	623x2	-
	621x2	629x2
175.17	096x2	-
175.24*	623x2	-
	621x2	629x2
Top Range Tractor Units:		
*CHECK LAYOUT AND WHETHER BASE HOLD DOWNS REQUIRED		
Turboteck		
190.30*	623x2	-
	621x2	629x2
	621x2	-
190.32	637x2	-

Make & Model	UK Ref	Alternative Part No.
Iveco CONTINUED		
190.36*	623x2	-
	621x2	629x2
190.38*	623x2	-
	621x2	629x2
220.30*	623x2	-
	621x2	629x2
220.32*	623x2	-
	621x2	629x2
220.36*	623x2	-
	621x2	629x2
220.38*	623x2	-
	621x2	629x2
Turbostar:		
190.36*	621x2	629x2
190.42*	621x2	629x2
190.48*	621x2	629x2
Construction:		
CHECK LAYOUT AND WHETHER BASE HOLD DOWNS REQUIRED 300.23		
	623x2	-
	621x2	629x2
300.25*	623x2	-
	621x2	629x2
300.30*	623x2	-
	621x2	629x2
300.32*	623x2	-
	621x2	629x2
300.34*	623x2	-
	621x2	629x2
Kaessbohrer		
"S9, 10, 11"	637x2	-
"S12, 14"		621x2
629x2		
"S100, 110, 120,"	637x2	-
S125	625x2	-
S130	637x2	-
S130 (Station-Wagon)	621x2	629x2
S140	621x2	629x2
S150	637x2	-
SG175	625x2	-
SG180	621x2	629x2
"S200, 208"	637x2	-
"S211, 212"	637x2	-
"S213, 215"	637x2	-
Leyland DAF also see DAF and LDV		
Bear	644	664
Bison BN	644x2	664x2
Bison 2	648x2	656x2
Buffalo BU	644x2	664x2
Buffalo 2	648x2	656x2
Chieftain	644	664
Clydesdale	644	664
Constructor (T45)	647x2	655x2
Constructor (T100)	647x2	655x2

* OE Fitment differs depending on Application

Due to the variety of electrical consumers and chassis configurations on today's commercial vehicles, we recommend checking the battery coming off the vehicle, to ensure that the replacement meets the vehicles electrical demands

Commercial Vehicles - Heavy Goods Vehicles Only

Make & Model	UK Ref	Alternative Part No.
Leyland DAF also see DAF and LDV		
Convoy	075x2	D4x2
Cruiser (T45)	647x2	655x2
EV Van (Diesel)	647	655
Eland	644x2	664x2
"FF, FJ, LD"	531x2	-
"FG, FM (2.2 & 2.5L)"	643	663
"FG, FM (3.8, 4.8, & 5.1L)"	647	655
Freighter 12V	655	-
Freighter 12V	643	663
Freighter 12V	655	-
Freighter 12V	643	663
Freighter 24V	643x2	663x2
Freighter 24V	647x2	655x2
Landmaster T68	647	655
Landtrain (T43)	647	655
Lynx	644x2	664x2
"Marthon, 2"	648x2	656x2
Medium Line Range:		
FA 2300 HT	621x2	629x2
FAS 2300 HT	621x2	629x2
FT 2300 HT	621x2	629x2
FA 2700 HS	621x2	629x2
FAS 2700 HS	621x2	629x2
FT 2700 HS	621x2	629x2
FT 3200 KS	629x2	-
Roadrunner (T45)	643x2	663x2
Roadrunner (T211)	643	663
Series 45 Range:		
FA 45.120	643x2	663x2
FA 45.130	643x2	663x2
FA 45.150	643x2	663x2
Series 50 Range:		
FA 50.150	643x2	663x2
FA 50.160	643x2	663x2
Series 60 Range:		
FA 60.180	643x2	663x2
FA 60.210	643x2	663x2
Series 65 Range:		
FA 65.210	637x2	-
	621x2	629x2
Series 75 Range:		
FAS 75.240	647x2	655x2
FAT 75.240	647x2	655x2
FAT 75.270	647x2	655x2
FT 75.270	647x2	655x2
FT 75.300	647x2	655x2
Series 80 Range:		
FAT 80.260	647x2	655x2
FAD 80.260	647x2	655x2
FAD 80.270	647x2	655x2
FAD 80.300	647x2	655x2
FT 80.300	647x2	655x2
FT 80.330	647x2	655x2
FTG 80.330	647x2	655x2

Make & Model	UK Ref	Alternative Part No.
Leyland DAF CONTINUED		
Series 85 Range:		
FAD 85.300	637x2	-
FAD 85.330	637x2	-
FT 85.330	637x2	-
FT 85.360	637x2	-
FTG 85.330	637x2	-
FTG 85.360	637x2	-
Series 95 Range:		
FT 95.310	629x2	-
FT 95.330	629x2	-
FT 95.350	629x2	-
FT 95.350	629x2	-
FT 95.360	629x2	-
FT 95.380	629x2	-
FT 95.400	629x2	-
FT 95.430	629x2	-
FTG 95.310	629x2	-
FTG 95.330	629x2	-
FTG 95.350	629x2	-
FTG 95.360	629x2	-
FTG 95.380	629x2	-
FTG 95.400	629x2	-
FTG 95.430	629x2	-
T 45 Roadtrain Range:		
17.27	647x2	655x2
17.28	647x2	655x2
17.30	647x2	655x2
20.32	647x2	655x2
20.33	647x2	655x2
Magirus-Deutz		
PLEASE NOTE : ORIGINAL EQUIPMENT MAY BE 1 OR 2 BATTERIES*		
E113	637x2	-
L 117	630x2	-
L 120	630x2	-
R 80	017x2	-
R 100	630x2	-
R 120	630x2	-
SH 105	625x2	-
SH 110	625x2	-
T 117	630x2	-
TL 120	630x2	-
TR 100	630x2	-
75D	621x2	629x2
80D	621x2	629x2
90D*	644x2	664x2
	630	-
90M 5.3*	017x2	-
	630	-
90M 5.7 - 9.0*	644x2	664x2
	630	-
100D	644x2	664x2
120D*	644x2	664x2
	621x2	629x2
130D	644x2	664x2

* OE Fitment differs depending on Application

Due to the variety of electrical consumers and chassis configurations on today's commercial vehicles, we recommend checking the battery coming off the vehicle, to ensure that the replacement meets the vehicles electrical demands



NUMAX

Commercial Vehicles - Heavy Goods Vehicles Only

Make & Model	UK Ref	Alternative Part No.
Magirus-Deutz CONTINUED		
130M 8	644x2	664x2
130M 9 - 14*	644x2	-
	621	629
135D	637x2	-
160D	644x2	664x2
168M	644x2	664x2
170D	637x2	-
192M	637x2	-
232D*	621x2	629x2
256D*	621x2	629x2
270D*	621x2	629x2
290M*	621x2	629x2
310D*	621x2	629x2
320M*	621x2	629x2
340D*	621x2	629x2
MAN		
OE FITMENT DIFFERS DEPENDING ON APPLICATION*		
F2000 - 18.373FLT	629x2	-
"F2000 - 18.403FLT, FVLT"	629x2	-
"L2000 - 8.153F, FK"	629x2	-
"L2000 - 10.153F, FK"	629x2	-
M2000	629x2	-
6.100F	644x2	664x2
6.115H	644x2	664x2
6.126H	621	629
7.126*	621	629
8.100F	644x2	664x2
8.150F	637x2	-
10.150F	621x2	629x2
16.168FL*	644x2	664x2
	621x2	629x2
16.168FL 637x2	-	-
16.170*	017x2	-
	637x2	-
	621x2	629x2
"16.232FT, FIN, FTS"	630x2	-
"16.240FT, FIN, FTS*"	630x2	-
	621x2	629x2
16.240FT*	637x2	-
	621x2	629x2
"16.280FTN, FTS*"	637x2	-
	621x2	629x2
16.281	621x2	629x2
16.321	621x2	629x2
16.321 SR*	621x2	629x2
	625x2	-
16.331FTS	621x2	629x2
17.170F* 017x2	-	-
	637x2	-
	621x2	629x2
"17.192 F, FD, FK*"	630x2	-
	637x2	-
	621x2	629x2
"17.232FD, FT"	630x2	-

Make & Model	UK Ref	Alternative Part No.
MAN CONTINUED		
"17.272FD, FT"	637x2	-
17.292FTS	621x2	629x2
"17.322FT, FTS"		637x2
17.332	621x2	629x2
19.321	621x2	629x2
20.331FVLTS	621x2	629x2
22.292FVLTS	621x2	629x2
22.321	621x2	629x2
22.322FVLT	637x2	-
22.332FVLTS	621x2	629x2
22.361	621x2	629x2
22.362FVLTS	621x2	629x2
22.372FVLT	621x2	629x2
"30.232DHK, VFK"	630x2	-
30.240*	637x2	-
	621x2	629x2
30.262	621x2	629x2
30.291	621x2	629x2
30.292	621x2	629x2
30.332	621x2	629x2
32.232	637x2	-
32.322	637x2	-
38.281	637x2	-
SL 200	625x2	-
SL 202	625x2	-
SGH 202	625x2	-
SR 230	621x2	629x2
SR 280	621x2	629x2
SR 321*	621x2	629x2
	625x2	-
SR 361*	621x2	629x2
	625x2	-
Mercedes Benz also see Car and LCV		
OE FITMENT DIFFERS DEPENDING ON APPLICATION*		
"310, D"	017x2	-
406D	644	664
407	644	664
407D	017x2	-
408D	017x2	-
408G	644	664
"409, D"	017x2	-
410	067	096
410D	017x2	-
421	644	664
507D	017x2	-
508D	017x2	-
509	067	096
510	017x2	-
608D	067	096
608LL*	017x2	-
	637x2	-
608RL*	637x2	-
	637x2	-
	017x2	-

* OE Fitment differs depending on Application

Due to the variety of electrical consumers and chassis configurations on today's commercial vehicles, we recommend checking the battery coming off the vehicle, to ensure that the replacement meets the vehicles electrical demands

Commercial Vehicles - Heavy Goods Vehicles Only

Make & Model	UK Ref	Alternative Part No.
Mercedes Benz - CONTINUED		
609	017x2	-
609D	027x2	096x2
610	017x2	-
613D	067x2	096x2
"709D, K, LL, RL *"	027x2	096x2
	067x2	096x2
	017x2	-
	630x2	-
	637x2	-
	630x2	-
	637	-
710	621	629
711D	067x2	096x2
"808LL, RL"	017x2	-
	637	-
"809 D, K, LL, RL*"	027x2	096x2
	017x2	-
	630x2	-
	637x2	-
	630x2	-
	637x2	-
810	017x2	-
811*	630x2	-
	637x2	-
	621x2	629x2
811D	067x2	096x2
813*	637x2	-
"814 , D*" (Avega)	067x2	096x2
	017x2	-
	630x2	-
	637x2	-
"817 F, K, LS, S*" (Avega)	067x2	096x2
	017x2	-
	630x2	-
	637x2	-
911B*	017x2	-
	621	629
	621x2	629x2
913*	637x2	-
	621x2	629x2
914 / K / AK*	067x2	096x2
	017x2	-
	630x2	-
	637x2	-
917	630x2	-
1013 / 318*	637x2	-
	621x2	629x2
1013 / 380	630x2	-
1017	630x2	-
1019*	017x2	-
	630x2	-
1113 / B*	017x2	-
	637x2	-
	621x2	629x2

Make & Model	UK Ref	Alternative Part No.
Mercedes Benz - CONTINUED		
1114*	067x2	096x2
	017x2	-
	630x2	-
	637x2	-
1117*	067x2	096x2
	017x2	-
	630x2	-
	637x2	-
1120*	067x2	096x2
	017x2	-
	630x2	-
	637x2	-
1213	630x2	-
1214*	-	-
	637x2	-
1217	630x2	-
1217C*	-	-
	637x2	-
1219*	017x2	-
	630x2	-
1222*	-	-
	637x2	-
1313*	017x2	-
	621x2	629x2
1314*	067x2	096x2
	017x2	-
	630x2	-
	637x2	-
1317*	067x2	096x2
	017x2	-
	630x2	-
1319*	-	-
	637x2	-
1320*	067x2	096x2
	017x2	-
	630x2	-
	637x2	-
1324*	017x2	-
	630x2	-
	637x2	-
1413	630x2	-
1414*	-	-
	637x2	-
1417*	630x2	-
	637x2	-
1418*	-	-
	637x2	-
1419*	017x2	-
	630x2	-
	637x2	-
1420*	017x2	-
	637x2	-
1422*	017x2	-
	637x2	-

* OE Fitment differs depending on Application

Due to the variety of electrical consumers and chassis configurations on today's commercial vehicles, we recommend checking the battery coming off the vehicle, to ensure that the replacement meets the vehicles electrical demands



Commercial Vehicles - Heavy Goods Vehicles Only

Make & Model	UK Ref	Alternative Part No.
Mercedes Benz - CONTINUED		
1424*	017x2	-
	630x2	-
	637x2	-
1425*	630x2	-
	637x2	-
1427F	637x2	-
1513*	017x2	-
	621x2	629x2
1514*	067x2	096x2
	017x2	-
	637x2	-
	630x2	-
1517	644x2	664x2
1518	637x2	-
1519	644x2	664x2
1520*	067x2	096x2
	017x2	-
	637x2	-
	630x2	-
1524*	017x2	-
	637x2	-
	630x2	-
1613	630x2	-
1614*	017x2	-
	637x2	-
1617*	630x2	-
	637x2	-
1618	637x2	-
1619*	017x2	-
	630x2	-
1619B*	017x2	-
	637x2	-
1619C*	017x2	-
	637x2	-
1620*	017x2	-
	637x2	-
1621*	017x2	-
	637x2	-
	621x2	629x2
1622*	017x2	-
	637x2	-
1624*	017x2	-
	630x2	-
	637x2	-
1625*	637x2	-
	630x2	-
	621x2	629x2
1626*	637x2	-
	621x2	629x2
1628*	017x2	-
	637x2	-
	621x2	629x2
1628S	637x2	-
1632*	637x2	-
	621x2	629x2

Make & Model	UK Ref	Alternative Part No.
Mercedes Benz - CONTINUED		
1633*	637x2	-
	621x2	629x2
1635	637x2	-
1636	637x2	-
1638	637x2	-
1644	637x2	-
1719*	017x2	-
	637x2	-
	621x2	629x2
1729	637x2	-
1733*	017x2	-
	637x2	-
1735	637x2	-
1748	637x2	-
1813*	017x2	-
	621	629
	621x2	629x2
1817*	017x2	-
	621x2	629x2
1819*	017x2	-
	621x2	629x2
1820*	017x2	-
	637x2	-
1824*	017x2	-
	637x2	-
1827*	017x2	-
	637x2	-
1831*	017x2	-
	637x2	-
1834*	017x2	-
	637x2	-
1838*	017x2	-
	637x2	-
1844*	017x2	-
	637x2	-
1850*	017x2	-
	637x2	-
1918	637x2	-
1919*	017x2	-
	637x2	-
	621x2	629x2
1921*	017x2	-
	637x2	-
	621x2	629x2
1922*	017x2	-
	637x2	-
1924*	017x2	-
	637x2	-
1926*	637x2	-
	621x2	629x2
1928*	017x2	-
	637x2	-
	621x2	629x2
1928 (621)	637x2	-
1929	637x2	-

* OE Fitment differs depending on Application

Due to the variety of electrical consumers and chassis configurations on today's commercial vehicles, we recommend checking the battery coming off the vehicle, to ensure that the replacement meets the vehicles electrical demands

Commercial Vehicles - Heavy Goods Vehicles Only

Make & Model	UK Ref	Alternative Part No.
Mercedes Benz - CONTINUED		
1932*	637x2	-
	621x2	629x2
1933	637x2	-
1935	637x2	-
1936	637x2	-
1938	637x2	-
1944	637x2	-
2024*	017x2	-
	637x2	-
	621x2	629x2
2025	637x2	-
2026*	637x2	-
	621x2	629x2
2028*	637x2	-
	621x2	629x2
2028LS (622)	637x2	-
2031*	017x2	-
	637x2	-
2032*	637x2	-
	621x2	629x2
2033	637x2	-
2035LS	637x2	-
2036	637x2	-
2038	637x2	-
2044	637x2	-
2050	637x2	-
2219*	017x2	-
	630x2	-
	637x2	-
	621x2	629x2
2222*	017x2	-
	637x2	-
2224*	017x2	-
	637x2	-
	621x2	629x2
2225	637x2	-
2226*	637x2	-
	621x2	629x2
2228	637x2	-
2232*	637x2	-
	621x2	629x2
2233*	637x2	-
	621x2	629x2
2235K	637x2	-
2236	637x2	-
2238*	637x2	-
	621x2	629x2
2244	637x2	-
2421	637x2	-
2429	637x2	-
2435	637x2	-
2448	637x2	-
2524*	017x2	-
	637x2	-
2527*	017x2	-
	637x2	-

Make & Model	UK Ref	Alternative Part No.
Mercedes Benz - CONTINUED		
2531*	017x2	-
	637x2	-
2534*	017x2	-
	637x2	-
2538*	017x2	-
	637x2	-
2544*	017x2	-
	637x2	-
2550*	017x2	-
	637x2	-
2620	637x2	-
2624*	017x2	-
	637x2	-
	621x2	629x2
2626*	637x2	-
	621x2	629x2
2628 (343)	017x2	-
	637x2	-
	621x2	629x2
2628 (624)	637x2	-
2628 A	637x2	-
"2628 B , K , S"	630x2	-
2629	637x2	-
2631	637x2	-
2632*	637x2	-
	621x2	629x2
2633*	637x2	-
	621x2	629x2
2635	637x2	-
2636	637x2	-
2638*	637x2	-
	621x2	629x2
2644	637x2	-
2648	637x2	-
2650	637x2	-
3025K	637x2	-
3028	637x2	-
3229K	637x2	-
3233	637x2	-
3234K*	017x2	-
	637x2	-
3238*	637x2	-
3250	637x2	-
3328	637x2	-
3534*	017x2	-
	637x2	-
3535	637x2	-
3538*	637x2	-
	637x2	-
3548	637x2	-
3550*	637x2	-
3850	637x2	-
0303 COACH	621x2	629x2
0305 COACH	621x2	629x2

* OE Fitment differs depending on Application

Due to the variety of electrical consumers and chassis configurations on today's commercial vehicles, we recommend checking the battery coming off the vehicle, to ensure that the replacement meets the vehicles electrical demands



NUMAX

Commercial Vehicles - Heavy Goods Vehicles Only

Make & Model	UK Ref	Alternative Part No.
Renault also see Car and LCV		
B Range;		
B11-50	017	-
B110.55	017	-
50 Series;		
S35-90	637x2	-
S35-110	637x2	-
S56-90	637x2	-
S56-110	637x2	-
S75-90	637x2	-
S75-110	637x2	-
Commando Range;		
G08	647x2	655x2
G10	647x2	655x2
G13	647x2	655x2
G17	647x2	655x2
G20	647x2	655x2
Midliner;		
S08-130	637x2	-
S13-150	637x2	-
S140.08	637x2	-
S150.08	637x2	-
M120.13	637x2	-
M160.13	637x2	-
M200.13	637x2	-
G/Manger Range;		
G170.17D	637x2	-
G180.17D	637x2	-
G200.17D	637x2	-
G200.18D	637x2	-
G210.18D	621x2	629x2
G230.18D	637x2	-
G260.17TD	621x2	629x2
G260.24D	621x2	629x2
G290.17D	621x2	629x2
G290.17TD	621x2	629x2
G290.22TD	621x2	629x2
G290.30D	621x2	629x2
G300.17TD	621x2	629x2
G300.24D	621x2	629x2
G330.17TD	621x2	629x2
G330.18D	621x2	629x2
G330.30D	621x2	629x2
G340.17TD	621x2	629x2
G340.22TD	621x2	629x2
Maxter Range		
G300.26D	621x2	629x2
G340.32D	621x2	629x2
R Range;		
"R310.19, 22"	637x2	-
"R310.19, 22"	621x2	629x2
R340.19TD	621x2	629x2
R340.22TD	621x2	629x2
R340.23TD	621x2	629x2
R365.19TD*	621x2	629x2
R365.22TD*	621x2	629x2

Make & Model	UK Ref	Alternative Part No.
Renault - CONTINUED		
R380.19TD*	621x2	629x2
R385.19TD*	621x2	629x2
R385.22TD*	621x2	629x2
R385.23TD*	621x2	629x2
AE Magnum Range;		
AE380.19TD	629x2	-
AE420.19TD	629x2	-
AE420.23TD	629x2	-
AE500.19TD	629x2	-
AE520.19TD	629x2	-
Scania		
OE FITMENT DIFFERS DEPENDING ON APPLICATION*		
82M	637x2	-
92M	637x2	-
112M*	637x2	-
	621x2	629x2
113M*	621x2	629x2
142M*	637x2	-
	621x2	629x2
142M*	637x2	-
	621x2	629x2
BR112	333x2	-
BR116	333x2	-
CR110	333x2	-
CR111	333x2	-
CR112	333x2	-
F112*	621x2	629x2
K82	621x2	629x2
"K92, K93*"	621x2	629x2
"K112, K113*"	621x2	629x2
L113*	621x2	629x2
"L, LB, LS, LIT76"	623x2	-
"LB, LBS, LBT80"	333x2	-
LB81	333x2	-
"LB, LBS, LBT85"	333x2	-
"LB, LBS110"	333x2	-
LB111	333x2	-
"LB, LBS, LBT140"	624x2	-
"LB, LBS, LBT141"	624x2	-
LB142	624x2	-
N113*	621x2	629x2
P92M	637x2	-
P93HL	637x2	-
"P93MA, MK, ML"	637x2	-
"P113MA, MK, ML"	621x2	629x2
R113MA	621x2	629x2
R143MA	621x2	629x2
SS82	621x2	629x2
SS112	621x2	629x2
T113, T113HK, T113M	621x2	629x2

* OE Fitment differs depending on Application

Due to the variety of electrical consumers and chassis configurations on today's commercial vehicles, we recommend checking the battery coming off the vehicle, to ensure that the replacement meets the vehicles electrical demands

Commercial Vehicles - Heavy Goods Vehicles Only

Make & Model	UK Ref	Alternative Part No.
Seddon Atkinson		
OE FITMENT DIFFERS DEPENDING ON APPLICATION*		
200 series	643x2	663x2
201 series	643x2	663x2
2-11 series	643x2	663x2
300 series	647x2	655x2
301 series	647x2	655x2
3-11 series	647x2	655x2
400 series*	643x2	663x2
	647x2	655x2
401 series	647x2	655x2
4-11 series	647x2	655x2
Europacer*	621x2	629x2
	624x2	-
Pacer*	621x2	629x2
	624x2	-
Pegaso	624x2	-
Strato - day cab	655x2	-
Strato - sleeper cab	624x2	-
Strato Cruiser*	621x2	629x2
	624x2	-
"14.215B, 18.215B, 18.235B**"	017x2	-
	647x2	655x2
	621x2	629x2
21.215B*	647x2	655x2
	621x2 629x2	"26.24
26.280C**	647x2	655x2
	621x2 629x2	
Steyr Daimler Puch		
OE FITMENT DIFFERS DEPENDING ON APPLICATION*		
380	637x2	-
480	637x2	-
586	637x2	-
590	637x2	-
680	637x2	-
690	637x2	-
780	637x2	-
790	637x2	-
791*	017x2	-
	637x2	-
890	621x2	629x2
891*	017x2	-
	637x2	-
990	621x2	629x2
991	621x2	629x2
1290	621x2	629x2
1291*	637x2	-
	621x2	629x2
1391*	017x2	-
	637x2	-
1490	621x2	629x2
1491*	637x2	-
	621x2	629x2
1890	621x2	629x2
1891	621x2	629x2

Make & Model	UK Ref	Alternative Part No.
Steyr Daimler Puch - CONTINUED		
9S14*	017x2	-
	630x2	-
9S18	630x2	-
10S14*	017x2	-
	630x2	-
10S18	630x2	-
12S14*	017x2	-
	630x2	-
12S18	630x2	-
12S21	630x2	-
13S14*	017x2	-
	630x2	-
13S18	630x2	-
13S21	630x2	-
14S14*	017x2	-
	630x2	-
14S18	630x2	-
14S21	630x2	-
15S14*	017x2	-
	630x2	-
15S18	630x2	-
15S21	630x2	-
16S14*	017x2	-
	630x2	-
16S18	630x2	-
16S18	630x2	-
19S24	637x2	-
19S28	637x2	-
19S31	637x2	-
19S34*	637x2	-
	621x2	629x2
19S37	621x2	629x2
22S28	637x2	-
22S31	637x2	-
22S34	621x2	629x2
22S37	621x2	629x2
26S28	637x2	-
26S31	637x2	-
26S34	621x2	629x2
26S37	621x2	629x2
32S28	637x2	-
32S31	637x2	-
32S34	621x2	629x2
32S37	621x2	629x2

* OE Fitment differs depending on Application

Due to the variety of electrical consumers and chassis configurations on today's commercial vehicles, we recommend checking the battery coming off the vehicle, to ensure that the replacement meets the vehicles electrical demands

